



**Unlock Your Potential** with



Vidyamandir Intellect

Analysis of Individual's Subject Wise Performance and Accuracy % Across Various Difficulty Levels



# **FOR STUDENTS CURRENTLY IN CLASS**

3 Year Program **JEE / NEET** 

Head Office: Aggarwal Corporate Heights, 3rd Floor, Netaji Subhash Place, Opp. Wazirpur Depot, Pitampura, Delhi.





## Sample Paper – 3 Year Program

### **Vidyamandir Intellect Quest Test**

Duration: 2.5 Hrs Maximum Marks: 265

#### **PAPER SCHEME:**

- The paper contains **45 Objective Type Questions** divided into three sections: **Section I, Section II and Section III.**
- Section I contains 5 Multiple Choice Questions (1-5) based on Mental Aptitude. Each question has 4 choices (A), (B), (C) and (D), out of which ONLY ONE CHOICE is correct.
- Section II contains 25 Multiple Choice Questions (6-30) based on Mathematics. Each question has 4 choices (A), (B), (C) and (D), out of which ONLY ONE CHOICE is correct.
- Section III contains 15 Multiple Choice Questions (31-45) based on Science. Each question has 4 choices (A), (B), (C) and (D), out of which ONLY ONE CHOICE is correct.

#### **MARKING SCHEME:**

- Section I: For each question, 5 marks will be awarded for correct answer and -1 negative marking for incorrect
  answer.
- Section II: For each question, 6 marks will be awarded for correct answer and -1 negative marking for incorrect answer.
- Section III: For each question, 6 marks will be awarded for correct answer and -1 negative marking for incorrect answer.

#### **GENERAL INSTRUCTIONS:**

- For answering a question, an ANSWER SHEET (OMR SHEET) is provided separately. Please fill your Name, Roll Number, Seat ID, Date of Birth and the PAPER CODE properly in the space provided in the ANSWER SHEET. IT IS YOUR OWN RESPONSIBILITY TO FILL THE OMR SHEET CORRECTLY.
- The use of log tables, calculator and any other electronic device is strictly prohibited.
- Violating the examination room discipline will immediately lead to the cancellation of your paper and no excuses will be entertained.
- No one will be permitted to leave the examination hall before the end of the test.
- Please submit both the question paper and the answer sheet to the invigilator before leaving the examination hall.

#### 2

#### **SUGGESTIONS:**

- Before starting the paper, spend 2-2.5 minutes to check whether all the pages are in order and report any issues to the invigilator immediately.
- Try to attempt the Sections in their respective order.
- Do not get stuck on a particular question for more than 2 to 2.5 minutes. Move on to a new question as there are 45 questions to solve.

	as the	re are	45 qu	estions to	soive.					
				SE	ECTION -	I   MENTA	L APTITUD	E		
1.					f the word		is coded as Z	CCQDRR, t	hen how will yo	ou code
	<b>(A)</b>	ATI	HKCH	IMF ( <b>B</b> )	ATHL	CHMF (C)	ATHKDH	IMF ( <b>D</b> )	ATHLDHNF	•
2.	If "SQ	UAR	E'' = 8	7 and "RE	CTANGLE	E'' = 94, then w	hat is the val	ue of "ROM	BUS" ?	
	<b>(A)</b>	96		<b>(B)</b>	94	<b>(C)</b>	89	<b>(D)</b>	97	
3.	5 chile	dren -	P, Q,	R, $S$ and $S$	T are given	ranks based o	n an essay wi	riting compe	etition. Neither S	S nor Q
	got the	e best	rank.	P has exac	ctly one per	rson who got a	better rank t	han him. $R$ i	s two ranks bet	ter than
				rd lowest		_				
	<b>(A)</b>	R		<b>(B)</b>	S	<b>(C)</b>	Q	<b>(D)</b>	T	
	5	8	10							
4.	30	72	?							
	(A)	110		<b>(B)</b>	90	(C)	120	<b>(D)</b>	130	
5.		walks	s 8 <i>km</i>	towards 1	North. Ther	he turns right	and walks a	further 8 km	n. How far and	in what
					ing point ?		12			
	<b>(A)</b>			orox, North		<b>(B)</b>	11 <i>km</i> app	rox, North-e	east	
	<b>(C)</b>	16 k	ım app	orox, North	n-east	<b>(D)</b>	14 <i>km</i> app	rox, North-e	east	
	(C)	16 <i>k</i>	кт арр						east	
	(C)	16 <i>k</i>	apr			- II   MATI			east	
6.					SECTION	$-II \mid MATI$ $\frac{1}{r^2}$ is:	HEMATICS		east	
6.						$-II \mid MATI$ $\frac{1}{r^2}$ is:	HEMATICS		east 10	
	Let <i>x</i> ( <b>A</b> )	=2+4	$\sqrt{3}$ , th	nen the val	SECTION ue of $x^2 + \frac{1}{4}$	$-    MAT $ $\frac{1}{x^2} \text{ is :}$ (C)	HEMATICS	(D)	10	
6. 7.	Let $x$ (A) If $p(x)$	=2+4	$\sqrt{3}$ , th	then the value (B) $x^2 + 3x - k$	SECTION ue of $x^2 + \frac{1}{4}$	-II   MATI $\frac{1}{x^2}$ is: (C) alue of 'k' for	HEMATICS $16$ which $x + k$ is	( <b>D</b> )	10 p(x), is:	
7.	Let x (A) If p(x (A)	$= 2 + x$ $12$ $x(x) = x^2$ $1$	$\sqrt{3}$ , th	(B) $(x^2 + 3x - k)$ (B)	SECTION  ue of $x^2 + \frac{1}{4}$ then the vector $\frac{1}{4}$	-II   MATI $\frac{1}{x^2}$ is:  (C) alue of 'k' for (C)	HEMATICS	(D)	10	
	Let $x$ (A) If $p(x)$ (A) If $(2a)$	$= 2 + x$ $12$ $x(x) = x^2$ $1$	$\sqrt{3}$ , th	ten the value $(\mathbf{B})$ $x^2 + 3x - k$ $(\mathbf{B})$ Solution of	SECTION  ue of $x^2 + \frac{14}{4}$ then the vector $y = 10x - \frac{1}{4}$	- II   MATI $\frac{1}{x^2}$ is: (C) alue of 'k' for (C) -12, then '\alpha' is	HEMATICS	(D) s a factor of (D)	10 p(x), is:	
7. 8.	Let x  (A)  If p(x  (A)  If (2a)	$= 2 + \cdots$ $12$ $x) = x^{2}$ $1$ $\alpha - 1, \alpha$ $1$	$\sqrt{3}$ , the $4 - k^2$ : ) is a s	(B) $x^{2} + 3x - k$ (B) solution of (B)	SECTION  ue of $x^2 + \frac{1}{4}$ then the vector $y = 10x - \frac{1}{2}$	-II   MATI $\frac{1}{x^2}$ is:  (C) alue of 'k' for  (C) -12, then '\alpha' is  (C)	HEMATICS  16  which $x + k$ is 0  s equal to:  3	(D) s a factor of (D) (D)	10 $p(x)$ , is: 2	
7.	Let x  (A)  If p(x  (A)  If (2a)	$= 2 + \cdots$ $12$ $x) = x^{2}$ $1$ $\alpha - 1, \alpha$ $1$	$\sqrt{3}$ , the $4 - k^2$ : ) is a s	(B) $x^{2} + 3x - k$ (B) solution of (B)	SECTION  ue of $x^2 + \frac{1}{4}$ then the vector $y = 10x - \frac{1}{2}$	-II   MATI $\frac{1}{x^2}$ is:  (C) alue of 'k' for  (C) -12, then '\alpha' is  (C)	HEMATICS  16  which $x + k$ is 0  s equal to:  3	(D) s a factor of (D) (D)	10 p(x), is: 2	ual to:
7. 8. 9.	Let x  (A)  If p(x  (A)  If (2a)  (A)  The m  (A)	$= 2 + \frac{12}{x}$ $= x^{2} + \frac{1}{x}$ $= x^{2} - 1, \alpha$ $=$	$\sqrt{3}$ , the $4 - k^2$ ) is a second of 10 me	(B) $x^{2} + 3x - k$ (B) solution of (B) umbers is (B)	SECTION  ue of $x^2 + \frac{14}{14}$ , then the very $-1$ $9y = 10x - \frac{2}{2}$ 220'. If 5 is 12	- II   MATI $\frac{1}{x^2}$ is:  (C) alue of 'k' for  (C) -12, then '\alpha' is  (C) subtracted from (C)	HEMATICS  16  which $x + k$ is 0  s equal to:  3  m every numb  16	(D) s a factor of (D) (D) per, then the (D)	10 p(x), is: 2 4 new mean is eq 15	ual to:
7. 8.	Let <i>x</i> (A)  If <i>p</i> ( <i>x</i> (A)  If (2 <i>a</i> (A)  The m  (A)	$= 2 + \frac{1}{2}$ $= x^{2} $	$\sqrt{3}$ , the $4 - k^2$ . ) is a second a coordinate of a coordinate of a coordinate coordinate.	ten the value $(B)$ $(x^2 + 3x - k)$ $(B)$ Solution of $(B)$ tumbers is $(B)$ cuboid of s	SECTION  ue of $x^2 + \frac{14}{14}$ , then the vector $\frac{1}{2}$ , then the vector $\frac{1}{2}$ and $\frac{1}{2}$ urface area urface area.	- II   MATI $\frac{1}{x^2}$ is:  (C) alue of 'k' for (C) -12, then '\alpha' is (C) subtracted from (C) $54cm^2$ is doub	HEMATICS  16  which $x + k$ is 0 s equal to: 3 m every number 16  bled, then surface $k = 1$	(D) s a factor of (D) (D) per, then the (D) face area of the content of the conte	10 p(x), is: 2 4 new mean is eq 15 new cuboid is:	ual to:
7. 8. 9. 10.	Let x  (A)  If p(x  (A)  If (2a)  (A)  The m  (A)  If each  (A)	$= 2 + 4$ $12$ $1$ $\alpha - 1, \alpha$ $1$ $10$ $10$ $10$ $212$	$\sqrt{3}$ , the $4 - k^2$ .  It is a second a constant of a co	ten the value $(B)$ $(x^2 + 3x - k)$ $(B)$ solution of $(B)$ tumbers is $(B)$ tuboid of s $(B)$	section  ue of $x^2 + \frac{14}{14}$ , then the vector $y = 10x - \frac{2}{2}$ . If 5 is 12  urface area 216cm	- II   MATI $\frac{1}{x^2}$ is:  (C) alue of 'k' for (C) -12, then '\alpha' is (C) subtracted from (C) $54cm^2$ is double of 'C'	HEMATICS  16  which $x + k$ is 0  s equal to: 3 m every number 16  bled, then surf $218cm^2$	(D) s a factor of (D) (D) per, then the (D) face area of (D)	10 p(x), is: 2 4 new mean is eq 15	ual to:
7. 8. 9.	Let x  (A)  If p(x  (A)  If (2a)  (A)  The m  (A)  If each  (A)	$= 2 + 4$ $12$ $1$ $\alpha - 1, \alpha$ $1$ $10$ $10$ $10$ $212$	$\sqrt{3}$ , the $4 - k^2$ .  It is a second a constant of a co	ten the value $(B)$ $(x^2 + 3x - k)$ $(B)$ solution of $(B)$ tumbers is $(B)$ tuboid of s $(B)$	section  ue of $x^2 + \frac{14}{14}$ , then the vector $y = 10x - \frac{2}{2}$ . If 5 is 12  urface area 216cm	- II   MATI $\frac{1}{x^2}$ is:  (C) alue of 'k' for (C) -12, then '\alpha' is (C) subtracted from (C) $54cm^2$ is doub	HEMATICS  16  which $x + k$ is 0  s equal to: 3 m every number 16  bled, then surf $218cm^2$	(D) s a factor of (D) (D) per, then the (D) face area of (D)	10 p(x), is: 2 4 new mean is eq 15 new cuboid is:	ual to:
7. 8. 9. 10.	Let x  (A)  If p(x  (A)  If (2a)  (A)  The m  (A)  If each  (A)	$= 2 + \frac{1}{2}$ $1$ $(x) = x^{2}$ $1$ $(x - 1, \alpha)$ $1$ $10$ $10$ $10$ $10$ $212$ $3 - a\sqrt{3}$	$\sqrt{3}$ , the $4 - k^2$ .  It is a second a constant of a co	(B)  (a)  (b)  (c)  (c)  (c)  (d)  (e)  (e)  (e)  (f)  (e)  (f)  (f)  (f	section  ue of $x^2 + \frac{14}{14}$ , then the vector $y = 10x - \frac{2}{2}$ . If 5 is 12  urface area 216cm	- II   MATI $\frac{1}{x^2}$ is:  (C) alue of 'k' for (C) -12, then '\alpha' is (C) subtracted from (C) $54cm^2$ is double of 'C'	HEMATICS  16  which $x + k$ is 0  s equal to: 3 m every number 16  bled, then surf $218cm^2$	(D) (a a factor of (D) (D) (ber, then the (D) (a a face area of (D) (b)	10 p(x), is: 2 4 new mean is eq 15 new cuboid is:	ual to:

27.

12.	If x <sup>2</sup>	$-y^2 + z^2 = 20$ and	1 2 1 2 1	z = 0 than m	L	is aqual to :				
12.	(A)	y + z = 20  and	$(\mathbf{B})$	-2 = 0, then $xy = -10$	$(\mathbf{C})$	8	<b>(D)</b>	-8		
10			` ′		` ′		` '			
13.		lue of function p						2		
1.4	(A)	-1 11 TX	( <b>B</b> )	0	(C)	1	( <b>D</b> )	2		
14.	-	on sens a 1.v. a hen overall.	t Ks. 100	100 making a pro	OHI OF 25	5% and a fridge	at Ks. 20	0000 making a loss of		
	(A)	Profit is Rs. 30	00		<b>(B)</b>	Loss is Rs. 500	0			
	<b>(C)</b>	Loss is Rs. 300	0		<b>(D)</b>	Profit is Rs. 50	00			
15.	In a tri	angle $\Delta PQR, PQ$	Q = PR ar	ad QR is produce	d to S su	$ \text{ich that } \angle PRS =$	:100° the	en ∠P is :		
	(A)	20°	<b>(B)</b>	40°	<b>(C)</b>	60°	<b>(D)</b>	80°		
16.	Two co		olumes i	n the ratio of 2:	1 and th	neir heights in ra	tio 1 : 2,	then the ratio of their		
	<b>(A)</b>	1:2	<b>(B)</b>	2:1	<b>(C)</b>	1:4	<b>(D)</b>	4:1		
17.	The va	lue of $\alpha^3 + \beta^3$	$-12\alpha\beta$ +	64 is equal to ze	ro if:					
	(A)	$\alpha + \beta = 1$	<b>(B)</b>	$\alpha - \beta = 1$	<b>(C)</b>	$\alpha + \beta = 4$	<b>(D)</b>	$\alpha + \beta + 4 = 0$		
18.	The ex	pression which i	s not a fa	actor of $x^6 - 7x^3$	3 – 8 is ·		<u> </u>			
10.	(A)	x-2	( <b>B</b> )	x+1	(C)	x-1	<b>(D)</b>	$x^{2}-x+1$		
19.	` ′						` ′	ume of the cuboid is:		
1).	(A)	$12cm^3$	( <b>B</b> )	$32cm^3$	(C)	$28cm^3$	( <b>D</b> )	$24cm^3$		
20.	` ′	s the missing nu	` '				(2)	2-1011		
	(A)	20	<b>(B)</b>	25	( <b>C</b> )	26	<b>(D)</b>	28		
21.		ne at which hand		e and hour hand				and 4 pm is:		
	(A)	3/11 hour past 3			(B)	4/11 hour past 3				
22.	(C) Prof. F	5/11 hour past 3 Rao walks to the	1	and comes back		_		n. to make the round		
								es to walk both ways.		
		ong would it take		M						
	(A)	200 minutes	<b>(B)</b>	250 minutes	<b>(C)</b>	300 minutes	<b>(D)</b>	60 minutes		
23.	2.2 km	travelling from A. Find the radius 30 cm	of whee		makes 12 (C)	250 revolutions.  28 cm	Distanc (D)	e between A and B is 26 cm		
24.	(A) A shor		( <b>B</b> ) his price				` /	an the actual weight.		
<b>-</b>		tal profit earned 1 30%			(C)	37.5%	( <b>D</b> )	None of these		
25.			` '				` ′	days can 8 men and		
	12 wor	men do the same	piece of	work?						
26	(A)	28 days	<b>(B)</b>	24 days	(C)	25 days	( <b>D</b> )	30 days		
26.	Sahu, Rahu and Umang can do a piece of work in 10, 15, 20 days respectively. If they all work together for 3 days, then fraction of the work that is left is:									
	(A)	1/20	( <b>B</b> )	1/15	( <b>C</b> )	7/20	<b>(D)</b>	1/4		

If H is height, S is curved surface area and V is volume of a cone, then :

**39.** 

**(A)** 

**(A)** 

Parenchyma

**(B)** 

Voluntary and involuntary muscles

Cardiac and skeletal muscles are respectively:

							VIQ.	Sample raper   5 real	
	(A) (C)	$\pi VH^3 - SH^2 + 3\pi VH^3 + 9V^2$			(B) (D)	$3\pi VH^3 + V^2 =$ $3\pi VH^3 - 9V^2$		2	
28.	If $x =$	$m^2$ and $y = m$ is ralue $m$ is:	a soluti	on of the equation	,	y + 6 = 0, then the	e ratio o	of greatest value of $m$ to	o
	(A)	3:2	<b>(B)</b>	4:3	<b>(C)</b>	5:2	<b>(D)</b>	2:1	
29.	If $px^3$	$+qx^2+x-6$ is $\alpha$	divisible	by $'x+2'$ and 1	eaves re	mainder 4 when	divided	by $x-2$ ; then:	
	<b>(A)</b>	$p^3 + q^3 = 18$	<b>(B)</b>	$q^3 - p^2 = 6$	( <b>C</b> )	p+q=3	<b>(D)</b>	$q^3 - p^3 = 8$	
30.	In trian (A) (C)	ngle $\Delta LMN$ , $\angle M$ $\angle MLN = 48^{\circ}$ $\angle MLN = 72^{\circ}$	I = 2∠N	V.P is a point on	MN suc (B) (D)	th that $LP$ bisects $\angle MLN = 60^{\circ}$ $\angle MLN = 36^{\circ}$	∠MLN	V and $MN = NL$ , then:	
				SECTION -	III   SC	IENCE			
31.	The m (A) (C)	olecular weight of Positive non-zo		-	eight is al (B) (D)	lways a: Fraction Integer			
32.	The peabout: (A)		lement l	M is 52 in its ox	ide of m	olecular formula	M <sub>2</sub> O <sub>3</sub> ( <b>D</b> )	. Its atomic mass is	
33.		ate of matter who	` /				(2)	CE 1980	
	(i)	Solid state	(ii)	Liquid state	(iii)	Gaseous state			
	<b>(A)</b>	(i) and (iii)	<b>(B)</b>	(ii) and (iii)	<b>(C)</b>	(i) and (ii)	<b>(D)</b>	(i),(ii) and (iii)	
34.	(A)	*	ower bo	iling points boil			OA		
	(B) (C) (D)		fusion o	f liquids varies	e out fror	n saturated solut	ion whe	en cooled	
35.		The particles of When the susp	g statem f susper ension i s homog	ents is not true ansion can be sep	arated freed, the peed.	spension? om solvent by the particles of suspe	_		
36.	Cell is (A)	a latin word for A little room	( <b>B</b> )	A little life	(C)	A little brick	<b>(D)</b>	None of these	
37.		ving cells in pon Robert Brown	d with i		scope wa		` ,		
38.		e permanent tissi		NOUGH HOOKE	(C)	Lecuweiiii0ek	( <b>D</b> )	George Palade	
50.	Smihn	e permanent usst	ics are.						

**(C)** 

**(B)** 

Sclerenchyma (**D**)

Involuntary and voluntary muscles

All of these

Collenchyma

- (C) Voluntary and voluntary muscles
- **(D)** Involuntary and involuntary muscles

- **40.** Proteins are synthesized by:
  - (A) Ribosomes
- (B) Plastids
- (C) Mitochondria (D)
  - ) Nucleus
- **41.** An aeroplane moves 400 m towards North, 300 m towards West and then 1200 m vertically upwards. Its displacement from the initial position is:
  - (**A**) 1300 m
- **(B)** 1400 m
- (**C**) 1500 m
- **(D)** 1600 m
- **42.** A particle of mass 5 kg is moving with a constant velocity of 10 m/s along positive X-axis. The momentum of particle and the net external force acting upon the particle are respectively:
  - (A) 49 Ns, 3 N
- (**B**) 50 Ns, 0 N
- (C) 59 Ns, 2 N
- **(D)** 47 Ns, 1 N
- 43. A tunnel is dug along a diameter of the earth of mass  $M_e$  and radius  $R_e$ . The force on a particle of mass m placed in the tunnel at a distance r from the centre is:
  - $(\mathbf{A}) \qquad \frac{\mathrm{G}\,\mathrm{M}_{\mathrm{e}}\mathrm{m}}{\mathrm{R}_{\mathrm{e}}^{3}\mathrm{r}}$
- $(\mathbf{B}) \qquad \frac{\mathrm{G}\,\mathrm{M}_{\mathrm{e}}\mathrm{r}}{\mathrm{R}_{\mathrm{o}}^{2}\,\mathrm{r}^{2}}$
- (C)  $\frac{G M_e m r}{R^3}$
- $(\mathbf{D}) \qquad \frac{\mathrm{G}\,\mathrm{M}_{\mathrm{e}}\mathrm{m}\,\mathrm{r}}{\mathrm{R}_{\mathrm{e}}^2}$

- **44.** The unit of relative density is:
  - (A)  $g cm^{-3}$
- **(B)**  $kg m^{-3}$
- (C)  $kgF m^{-3}$
- (**D**) No unit

- **45.** The rate of change of displacement is called:
  - (A) Momentum
- (B) Speed
- (C) Velocity
- (**D**) Acceleration



IIT JEE I MEDICAL I FOUNDATIO

3 Year Sample Paper   Answer Key									
Code-A Mapping	Code-A_Answer Key	Code-A Difficulty	Code-A Subject	Code-A Topic (Chapter)	Code-A Skill (Base)	Code-A +Ve Marks	Code-A -Ve Marks		
1	А	Easy	Mental Aptitude	Alphabet Test	Logical	5	1		
2	В	Medium	Mental Aptitude	Coding	Logical	5	1		
3	D	Difficult	Mental Aptitude	Analogy	Logical	5	1		
4	Α	Easy	Mental Aptitude	Figure Matrix	Logical	5	1		
5	В	Medium	Mental Aptitude	Direction	Logical	5	1		
6	В	Easy	Mathematics	Rational Numbers	Calculation	6	1		
7	С	Easy	Mathematics	Polynomial	Conceptual	6	1		
8	В	Easy	Mathematics	Linear Equation	Conceptual	6	1		
9	D	Easy	Mathematics	Number System	Conceptual	6	1		
10	В	Easy	Mathematics	Mensuration	Memory	6	1		
11	С	Medium	Mathematics	Polynomial	Calculation	6	1		
12	В	Easy	Mathematics	Polynomial	Memory	6	1		
13	В	Easy	Mathematics	Polynomial	Conceptual	6	1		
14	С	Medium	Mathematics	Profit and Loss	Calculation	6	1		
15	А	Easy	Mathematics	Triangle	Memory	6	1		
16	В	Easy	Mathematics	Mensuration	Memory	6	1		
17	D	Easy	Mathematics	Polynomial	Memory	6	1		
18	С	Easy	Mathematics	Polynomial	Conceptual	6	1		
19	D	Easy	Mathematics	Mensuration	Memory	6	1		
20	С	Easy	Mathematics	Number System	Conceptual	6	1		
21	Α	Medium	Mathematics	Lines and Angles	Conceptual	6	1		
22	Α	Medium	Mathematics	Linear Equation	Calculation	6	1		
23	С	Medium	Mathematics	Linear Equation	Conceptual	6	1		
24	С	Easy	Mathematics	Profit and Loss	Application	6	1		
25	В	Medium	Mathematics	Comparing Quantities	Calculation	6	1		
26	С	Medium	Mathematics	Direct and Inverse Proportion	Calculation	6	1		
27	С	Medium	Mathematics	Mensuration	Calculation	6	1		
28	Α	Easy	Mathematics	Comparing Quantities	Calculation	6	1		
29	D	Easy	Mathematics	Polynomial	Conceptual	6	1		
30	С	Easy	Mathematics	Triangle	Calculation	6	1		
31	Α	Medium	Science	Atoms and Molecules	Conceptual	6	1		
32	D	Medium	Science	Atoms and Molecules	Calculation	6	1		
33	С	Easy	Science	Matter In Our Surroundings	Conceptual	6	1		
34	В	Easy	Science	Is Matter Around us Pure	Conceptual	6	1		
35	С	Easy	Science	Is Matter Around us Pure	Memory	6	1		
36	А	Moderate	Science	Cell	Conceptual	6	1		
37	С	Easy	Science	Cell	Memory	6	1		
38	D	Easy	Science	Tissues	Application	6	1		
39	В	Moderate	Science	Tissues	Conceptual	6	1		
40	А	Moderate	Science	Cell	Application	6	1		
41	А	Easy	Science	Motion	Calculation	6	1		
42	В	Easy	Science	Force	Conceptual	6	1		
43	С	Medium	Science	Gravitation	Memory	6	1		
44	D	Easy	Science	Gravitation	Conceptual	6	1		
45	С	Easy	Science	Motion	Conceptual	6	1		

# VMC CENTRES ACROSS INDIA









