



Vidyamandir Intellect Quest

Test your Intellect for the

Biggest Test

of the Year

FOR STUDENTS CURRENTLY IN CLASS

1+4 YEAR PROGRAM (PRE-FOUNDATION)

ADVANTAGES OF JOINING EARLY -

Save Minimum ₹50,000* on Course fee

Upto 100% scholarship on qualifying VIQ

Free Live Classes till March before Classroom program begins

No increase in course fee this year due to COVID-19

Easy EMI options available





Sample Paper - 5 Year Program

Admission & Scholarship Test

Duration: 3.0 Hrs Maximum Marks: 305

PAPER SCHEME:

- The paper contains 60 Objective Type Questions divided into three sections: Section I, Section II and
- Section I contains 10 Multiple Choice Questions (1-10) based on Mental Aptitude. Each question has 4 choices (A), (B), (C) and (D), out of which ONLY ONE CHOICE is correct.
- Section II contains 35 Multiple Choice Questions (11-45) based on Mathematics. Each question has 4 choices (A), (B), (C) and (D), out of which **ONLY ONE CHOICE** is correct.
- Section III contains 15 Multiple Choice Questions (46-60) based on Science. Each question has 4 choices (A), (B), (C) and (D), out of which **ONLY ONE CHOICE is correct**.

MARKING SCHEME:

- KING SCHEME:

 Section I : For each question, 4 marks will be awarded for correct answer and -1 negative marking for incorrect answer.
- Section II: For each question, 5 marks will be awarded for correct answer and -1 negative marking for incorrect answer.
- Section III: For each question, 6 marks will be awarded for correct answer and -1 negative marking for incorrect answer.

GENERAL INSTRUCTIONS:

- For answering a question, an ANSWER SHEET (OMR SHEET) is provided separately. Please fill your Name, Roll Number, Seat ID, Date of Birth and the PAPER CODE properly in the space provided in the ANSWER SHEET. IT IS YOUR OWN RESPONSIBILITY TO FILL THE OMR SHEET CORRECTLY.
- A blank space has been provided on each page for rough work. You will not be provided with any supplement or rough sheet.
- The use of log tables, calculator and any other electronic device is strictly prohibited.
- Violating the examination room discipline will immediately lead to the cancellation of your paper and no excuses will be entertained.
- No one will be permitted to leave the examination hall before the end of the test.
- Please submit both the question paper and the answer sheet to the invigilator before leaving the examination hall.

10.

(A)

Knife

SUGGESTIONS:

- Before starting the paper, spend 2-3 minutes to check whether all the pages are in order and report any issue to the invigilator immediately.
- Try to attempt the Sections in their respective order.
- Do not get stuck on a particular question for more than 3-4 minutes. Move on to a new question as there are 60 questions to solve.

| | tilere a | re oo questions | to solve. | | | | | | | |
|----|--|------------------------------------|---------------|-----------------------------|---------------------------|--|--------------------------|----------------------------|--|--|
| | | | SECT | ION - I [MEN | ITAL A | PTITUDE] | | | | |
| 1. | If 4 th Ja (A) | nuary 2008 falls Monday | on Frida (B) | ay, what day of v Friday | week wil | ll fall on 4 th Janu Wednesday | ary 2009 (D) | 9? Sunday | | |
| 2. | If '+' n (A) | neans 'x', 'x' me | ans '-', (B) | , '-' means '÷' 48 | and '÷ (C) | ' means '+', then 29 | n 18÷4 (D) | $+3 \times 2 - 2 = ?$ 39 | | |
| 3. | If Lamp A is less bright than Lamp B; Lamp B is brighter than Lamp C; Lamp C is as bright as Lamp D; Lamp B is brighter than Lamp D; Lamp D is brighter than Lamp A; then which lamp is the brightest? | | | | | | | | | |
| | (A) | Lamp A | (B) | Lamp B | (C) | Lamp C | (D) | Lamp D | | |
| 4. | Find th \times \times \times \times (A) | e missing figure + ? | (?). (B) | \times | (C) | ama' Øes | (D) CE | 1986 | | |
| 5. | If JK: | QR, then: | | Y | 2/9 | 10 | 710 | | | |
| | (A) | ST: UW | (B) | WX : ZY | (C) | CFOLINDA | (D) | BC : IJ | | |
| 6. | If A is | B's brother, B is | C's siste | er and C is D's f | | | | | | |
| | (A) | Brother | (B) | Sister | (C) | Wife | (D) | None of these | | |
| 7. | Four po | ositions of a dice | is given | . The number op | posite to | o 3 is: | | | | |
| | | 3 | 6 1 | 5 4 | 5 | 1 3 | 6 | | | |
| | (A) | 2 | (B) | 3 | (C) | 4 | (D) | 6 | | |
| 8. | | of the following 6, 10, 15, 21, 28 | | s does not fit in t | he giver | series? | | | | |
| | (A) | 0 | (B) | 21 | (C) | 37 | (D) | 45 | | |
| 9. | In the s (A) | sequence of number 29 | pers 5, 8 (B) | , 13 X, 34, 55, 8 23 | 9, the va (C) | lue of X is: | (D) | 20 | | |

(C) Fork

(D)

Bowl

Which one is the same as Basket, Pail and Pan?

(B)

Spoon

SECTION - II [MATHEMATICS]

- 11. For any two rational numbers x and y which of the following are correct, if x is positive and y is negative?
 - (1) x < v
- (2) x = v
- (3)
- (A) Only 1 and 2 are correct
- **(B)** Only 2 and 3 are correct

Only 3 is correct **(C)**


- All 1, 2 and 3 are correct **(D)**
- 12. Which pair of numbers does not have a product equal to 36?
 - (A)
- **(B)**
- $\{-3,-12\}$ (C) $\left\{\frac{1}{2},-72\right\}$ (D)
 - {1, 36}

- 13. Which of the following statements is true?
 - 1 and −1 are additive inverse (A)
 - **(B)** Zero has no reciprocal
 - The product of two rational numbers is a rational number **(C)**
 - All of the above **(D)**
- If p: when a positive integer and a negative integer are added we always get a negative integer and q: 14. when two negative integers are added, we get a positive integer, then:
 - (A) Both p and q are true
- p is true and q is false **(B)**
- p is false, and q is true **(C)**
- **(D)** Both p and q are false
- The value of |7| + |5| |7| |-3|, where $|\bullet|$ is the absolute value of an integer is : 15.
- (C) = 2
- **(D)**
- A tank contains 500 litres of water. Due to a small hole in the tank, the quantity of water is decreasing at 16. the rate of 9 litres every hour. What will be the quantity of water in the tank after 10 hours?
 - 410 litres **(B)**
- 491 litres
- 400 litres **(C)**
- 90 litres

- 17. Which integer is the additive inverse of itself?
- **(B)**
- **(C)** 0
- **(D)** 2

- The value of $3\frac{4}{5} + 2\frac{7}{10} + 4\frac{8}{12}$ is: 18.
 - (A)
- **(B)**
- **(C)**
- **(D)**

- 19. What fraction of the figure is shaded?
 - (A)
- **(C)**
- **(D)**



- 20. What fraction of the figure is shaded?

- **(D)**



21. Which of the following is correct?

- (A) 0.658 < 0.738 < 0.514 < 0.813
- 0.514 < 0.658 < 0.732 < 0.813**(B)**
- 0.813 < 0.732 < 0.658 < 0.514**(C)**
- 0.514 < 0.732 < 0.658 < 0.813**(D)**

22.

- **(B)**


Express $9\frac{7}{20}$ as a decimal. 23.

- 9.05 (A)
- 9.53 **(B)**
- **(C)** 9.26
- **(D)** 9.35

A farmer has 192 animals out of which $\frac{7}{16}$ are cattle. $\frac{2}{3}$ of cattle are dairy cows. How many dairy cows 24.


- he has? (A) 128
- 84 **(B)**
- **(C)** 56
- **(D)** 112

25. In the figure, PQ is parallel to ST. AB is a straight line. Find $\angle BST$




- (A) 110°

In the figure, AB is parallel to CD. Which of the following statements is true? **26.** (EF is drawn parallel to AB)



- (A) $a + b = 180^{\circ}$
- **(B)**
- $b + c = 180^{\circ}$
- **(C)** $c + d = 180^{\circ}$
- **(D)**

27. In the figure (not drawn to scale), ABCD is a rhombus and CGEF is a square. Find y.




- **(A)** 30°
- **(B)**
- 50°
- **(C)** 60°
- **(D)** 70°

28. A triangle whose lengths of sides are 5 cm, 12 cm and 13 cm. The triangle is:

- Obtuse angled triangle **(A)**
- **(B)** Acute - angled triangle
- Right angled triangle **(C)**
- **(D)** Triangle is not formed

29. In the given $\triangle ABC$, if AB = AC and BD = DC, then $\angle ADC$ is equal to:



- (A) 60°
- **(B)** 120°
- 90° **(C)**
- **(D)** 45°
- 30. In any $\triangle ABC$, which of the given condition holds true?
 - AB BC > CA (B) (A)
- AB + BC < CA (C)
- AB BC < CA (**D**)
- AB + CA < BC
- 31. ABC is an isosceles triangle with AB = AC and AD is altitude, then:
 - $\angle B > \angle C$ **(A)**
- $\angle B < \angle C$ **(B)**
- $\angle B = \angle C$ **(C)**
- **(D)** None of these
- The value of $\left(-5x^2y\right) \times \left(-\frac{2}{3}xy^2z\right) \times \left(\frac{8}{15}xyz^2\right) \times \left(-\frac{1}{4}z\right)$ is: 32.
 - (A) $-\frac{4}{9}x^4y^4z^4$ (B) $\frac{4}{9}x^4y^4z^4$ (C) $-\frac{4}{9}x^3y^3z^3$

- **Step 1:** $x^2 3x^2y^2 + x^2y^2 2x^2 3y^2 + 12x^2y^2$ 33.
 - Step 2: $(x^2 2x^2) + (-3x^2y^2 + x^2y^2 + 12x^2y^2) 3y^2$
 - **Step 3**: $\left(-x^2 + 10x^2y^2 3y^2\right)$

ALIFOUNDATION Are the above given steps showing simplification of algebraic expression

$$x^{2}(1-3y^{2})+x(xy^{2}-2x)-3y(y-4x^{2}y)$$
?

(A)

(B) No

- Only step 1 is correct **(C)**
- **(D)** Only step 1 and 2 are correct
- If $x + \frac{1}{x} = 12$, then the value of $x \frac{1}{x}$ is: 34.
 - **(A)** $\sqrt{140}$
- $\sqrt{120}$ **(B)**
- **(C)** 10
- **(D)** 11
- If $\frac{x}{y} = \frac{3}{4}$, then the incorrect expression from the following options is: **35.**
- $\frac{x+y}{v} = \frac{7}{4}$ (B) $\frac{y}{v+x} = \frac{4}{7}$ (C) $\frac{x+2y}{x} = \frac{11}{3}$ (D) $\frac{x-y}{v} = \frac{1}{4}$
- Subtract the sum of $(8a-6a^2+9)$ and $(-10a-8+8a^2)$ from -3 is: **36.**
 - (A)

- $2a^2-2a-2$ (B) $2a^2-2a+4$ (C) $-2a^2+2a-4$ (D) $-2a^2+2a-2$
- What is the value of $ax^2 + bx + c$ at $x = \frac{-b}{a}$? 37.
 - **(A)**
- $b^{2} 4ac$
- **(C)**
- 0 **(D)**

- A factor of $(3x^4 12y^4)$ is: 38.
 - (A)
- $x^2 2v^2$
- **(C)**
- All of these **(D)**

- 39. $2^3 + 2^3 + 2^3 + 2^3$ is equal to:
 - (A) 2^5
- **(B)** 2^{12}
- (C) 2^{81}
- **(D)** 2^{16}
- **40.** The value of x, for which $\left(\frac{125}{8}\right)^5 \times \left(\frac{125}{8}\right)^x = \left(\frac{5}{2}\right)^{18}$ is:
 - (A) 2
- R)
- **(C)**
- **(D)** 9

- 41. If $\frac{p}{q} = \left(\frac{2}{3}\right)^3 \div \left(\frac{3}{2}\right)^{-3}$, then the value of $\left(\frac{p}{q}\right)^{-10}$ is:
 - **(A)** 1
- **(B)** (
- **(C)** −1
- **(D)** Cannot be determined
- **42.** Match the reciprocal of each of the following in exponential form:
 - $(1) \qquad 3^2$
- (a) $\left(-\frac{7}{3}\right)^{89}$
- $(2) \qquad \left(-5\right)^3$
- (b) $\left(-\frac{1}{5}\right)^3$
- $(3) \qquad \left(\frac{2}{5}\right)^4$
- (c) $\left(\frac{1}{3}\right)^2$
- $(4) \qquad \left(\frac{-3}{7}\right)^{89}$
- (d) $\left(\frac{5}{2}\right)^4$
- (A) 1c, 2b, 3d, 4a

(B) 1a, 2b, 3c, 4d

(C) 1b, 2c, 3d, 4a

- **(D)** 1d, 2a, 3b, 4c
- **43.** The value of $(-8) \times (-8) \times (-$
 - (A) $-2(8)^5$
- **(B)** $-(2)^{16}$
- (C) $-(4)^8$
- **(D)** All of these

- **44.** If $\left(\frac{1}{5}\right)^{3y} = 0.008$, then $(0.25)^y$ will be:
 - **(A)** 1
- **(B)** 0.25
- **(C)** 0.0625
- **(D)** 0.125
- 45. Which of the following numbers is in the scientific notation?
 - (A) $1.26 \times 10^{-5} m$
- **(B)** $15.75 \times 10^3 \, km$ **(C)**
 - (C) 0.1
- $0.18 \times 10^{-7} \, km$ (**D**)
 - $0.0013 \times 10^{-8} \, km$

SECTION - III [SCIENCE]

- **46.** If all the parts of green parts of tree are covered with transparent wax. Then pick the wrong statement from the following.
 - (A) The plant will die as it cannot show transpiration
 - **(B)** Stomata will be closed therefore plant cannot exchange gases
 - (C) Plant will perform photo synthesis as transparent wax is used
 - **(D)** After some time, plant will die

7

| 47. | (II) pla | plants are kept in an air tight bell jars. It one of the bell jar (I) place a rat and in the other bell jar lace potassium hydroxide as it absorbs carbon dioxide and then place a rat. Both the jars are kept a light for some time. What will happen. Plant and rat both will die in bell jar I Both will die in bell jar II Only plant will die in bell jar I Only rat will die in bell jar I | | | | | | | | | |
|-----|--|--|-------------|--|------------------|---|--|--|--|--|--|
| 48. | Main (A) (B) (C) (D) | digesting function of teeth in our body: It helps in cutting the food It grinds the food and therefore increases area for proper action of enzyme Helps in swallowing the food Helps in mastication | | | | | | | | | |
| 49. | Which among the following is called artificial silk? | | | | | | | | | | |
| | (A) | Rayon | (B) | Nylon | (C) | Terylene | (D) | Bakelite | | | |
| 50. | Clinica (A) (C) | So that we ca | ın see reac | ling easily | (B) | It slows down | tube. What is the reason behind it: t slows down the fall of mercury so that the mercury falls quickly | | | | |
| 51. | not a p (A) | hysical change Melting of w | ax or ice | | (B) | Tearing of paper | per | Pick the one which is | | | |
| 52. | is sam | e if a person in | nitially at | | cm from | the mirror mo | oves awa | nd image from the mirror ay from one mirror at the onds: 140 cm | | | |
| 53. | Person faster? | 'A' covers 10 A | m in 3 se | conds and anoth | er person (B) | 'B' covers 500 B | 00 m in 2 | 250 seconds. Who moves | | | |
| | (C) | They both ru | n with sar | ne speed | (D) | None of the o | ption ab | ove is right | | | |
| 54. | High I (A) (C) | BOD (Biologica Water is polli Either (A) or | uted | n Demand) show | s that : (B) (D) | Water is potab Neither of the | | | | | |
| 55. | | acreased growth of algae in a water body due to increase in concentration of nitrogenous Fertilizers is so called: | | | | | | | | | |
| | (A) | Bio - magnif | ication | | (B) | Eutrophication | | | | | |
| | (C) | Bio - accumu | ılation | | (D) | Bio - concentr | ration | | | | |
| 56. | | mals living in cold region undergoes winter sleep to protect themselves from harsh environment. winter sleep is also called: Hibernation (B) Incubation (C) Aestivation (D) Incineration | | | | | | | | | |
| 57 | | | ` ' | | , , | | , , | | | | |
| 57. | (A) | _ | | not an adaptation erted into spines | (B) | _ | | | | | |
| | (A) (C) | Fleshy stem | cas conve | area into spines | (D) | Deep and extensive root system Larger canopy | | | | | |


- **58.** Which of the following is not advantage of constructing large dams?
 - (A) It can be used for production of electricity
 - **(B)** It prevents flood
 - (C) It leads to deforestation
 - **(D)** It helps in distributing water to remote area
- **59.** The movement of alimentary canal to move the food is called:
 - (A) Peristalsis

(B) Voluntary movement

(C) Arrhythmia

(D) Pulmonary

- **60.** How does parasite different from saprotrophs, pick the correct options?
 - (A) Parasites have complete alimentary canal and developed digestive system and saprotroph do not have one
 - (B) Parasites absorbs digested nutrient whereas saprotroph digests nutrient outside their body and then picks up
 - (C) Parasites feed on dead and decaying organisms and saprotrophs on living host body
 - (D) Saprotrophs always moves inside the body for its nutrition, but parasites obtain its nutrition's from outside the living body



అం అం End of Sample Paper | 5 Year అల



Answers to Sample Paper | 5 Year

| SECTION - I | | | | | | | | | | | |
|---------------|----|----|----|-----|-----|----|-------|------------|----|--|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | | |
| D | С | В | D | D | D | С | С | С | D | | |
| SECTION - II | | | | | | | | | | | |
| 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | | |
| С | С | В | D | C | A | С | | В | С | | |
| 21 | 22 | 23 | 24 | 25 | 26 | 27 | 518VC | 1980 | 30 | | |
| В | C | D | U | A | 345 | C | C | N C | С | | |
| 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | | |
| С | A | A | A | DCA | С | С | D | А | С | | |
| | | 41 | 42 | 43 | 44 | 45 | | | | | |
| | | А | А | D | В | А | | | | | |
| SECTION - III | | | | | | | | | | | |
| 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | | |
| С | D | В | Α | В | С | D | В | А | В | | |
| | | 56 | 57 | 58 | 59 | 60 | | | | | |
| | | А | D | С | Α | В | | | | | |

35 **YEARS** LEGACY

Over the last 3 decades, Vidyamandir Classes (VMC) has designed, delivered, innovated, and perfected the art and science of teaching. VMC provides guidance to students for excelling in engineering (JEE), medical (NEET) entrance exams and other competitive exams like NTSE, KVPY, Olympiads etc.





1000+ IITians every year.

87.5% Success Rate in NEET 2019

